


RAINHAM STEEL

PHONE: 01708 522311 FAX: 01708 559024

Formwork Accessories

Produced from a high tensile steel with a screw thread (deformation conforming to ASTM A 618 for reinforcing steel bars).



Physical Data:

Diameter:	Net 17mm
Weight per metre	1.44kg
Approx. failing load	191 kN
Max. safe workload	127 kN

Thru Sleeve

A rigid PVC tube of 2mm wall thickness, supplied in 2 metre lengths which can be easily cut to the required size. It is used as an expandable sleeve over tie bolts, facilitating their removal and also acting as a spacer to ensure correct width of wall.

Thru Cones

Thru Cones are used at the ends of the Thru Sleeve and can be easily extracted after removal of the formwork, to form a chamfered recess for subsequent grouting.

Also available:

Formwork Clamps, Flexible Hose, Adjustable Kickers

Tie Bar 	<table border="1"> <thead> <tr> <th>Length M</th> </tr> </thead> <tbody> <tr><td>7.5</td></tr> <tr><td>6.0</td></tr> <tr><td>2.5</td></tr> <tr><td>2.0</td></tr> <tr><td>1.75</td></tr> <tr><td>1.50</td></tr> <tr><td>1.00</td></tr> </tbody> </table>	Length M	7.5	6.0	2.5	2.0	1.75	1.50	1.00
	Length M								
	7.5								
	6.0								
	2.5								
	2.0								
	1.75								
1.50									
1.00									
Connector 									
Wing Nut 									
Waler Plate 	<table border="1"> <thead> <tr> <th>Type</th> </tr> </thead> <tbody> <tr> <td>Std. Heavy Duty</td> </tr> </tbody> </table>	Type	Std. Heavy Duty						
Type									
Std. Heavy Duty									
Thru Sleeve 	<table border="1"> <thead> <tr> <th>Tube i/d o/d</th> </tr> </thead> <tbody> <tr><td>14/18</td></tr> <tr><td>20/24</td></tr> <tr><td>22/26</td></tr> <tr><td>26/30</td></tr> <tr><td>32/38</td></tr> </tbody> </table>	Tube i/d o/d	14/18	20/24	22/26	26/30	32/38		
Tube i/d o/d									
14/18									
20/24									
22/26									
26/30									
32/38									
Thru Cones 	<table border="1"> <thead> <tr> <th>Tube i/d mm</th> </tr> </thead> <tbody> <tr><td>14</td></tr> <tr><td>20</td></tr> <tr><td>22</td></tr> <tr><td>26</td></tr> <tr><td>32</td></tr> </tbody> </table>	Tube i/d mm	14	20	22	26	32		
Tube i/d mm									
14									
20									
22									
26									
32									